



ELK10008

serum, plasma and other biological fluids

. ng/mL

. - ng/mL

		T	T	
	Pre-coated Microplate			C/- C
	Standard (lyophilized)			C/- C
	Standard/Sample Diluent Buffer	mL	mL	C/- C
	Biotinylated-Conjugate ()	μL	μL	C/- C
	Biotinylated Conjugate Diluent	mL	mL	C/- C
	Streptavidin-HRP ()	μL	μL	C/- C
	HRP Diluent	mL	mL	C/- C
	Wash Buffer ()	mL	mL	C/- C
	TMB Substrate Solution	mL	mL	C/- C(
	Stop reagent	mL	mL	C/- C
	Plate Covers			
	Instruction manual			





		PG		PG
			-HRP	
TMB	TMB			
	PG	nm	(OD)	



•	C	g	-	-
•	- C	g	-	-
•	EDTA-Na		-	-
•	P			



μL

μL

 μL

μL

μL

 μL

μL


μL

μL

μL

μL

μL



μL

C μL min μL

μL HRP

C μL

μL TMB

C

μL

μL


nm



.
 .
 .

C

. mL
 ng/mL
 ng/mL ng/mL
 ng/mL . ng/mL . ng/mL . ng/mL . ng/mL ng/mL



. (x)
 (μL) . - . mL μL
 μL
 . - (x)
 (μL) . - .
 mL μL μL

. TMB



.

.

g

-

.

C

.

.

.

TMB

TMB

.

.

.

.



1. 将待测样品加入反应孔中，每孔加入 100 μL。
2. 加入 100 μL 的 (x) μL 的 C。
3. 加入 100 μL 的 (x) μL 的 -。
4. 加入 100 μL 的 -HRP (x) μL 的 C。
5. 加入 100 μL 的 (x) μL 的 -。
6. 加入 100 μL 的 TMB μL 的 C。
7. 加入 100 μL 的 μL。
8. 加入 100 μL 的 nm (OD)。
9. *



.

.

OD

OD

OD

X


Y

OD

OD

curve expert

Concentration (ng/mL)	OD
	.
	.
	.
.	.
.	.
.	.
.	.
.	.



:



ELK Biotechnology



ELISA





		200 μL/





-
-
-
-
-
-
-
-

ELK Biotechnology

027-59760950

elkbio@elkbiotech.cn

