



E K H

Serum, plasma

0.05 pg/mL

0.63-40 pg/mL

IL6

		48T	96T	
	Pre-coated Microplate	6 x 8	12 x 8	4°C/-20°C
	Standard (lyophilized)	1	2	4°C/-20°C
&	Standard/Sample Diluent Buffer	10 mL	20 mL	4°C/-20°C
100×	Biotinylated Antibody (100×)	60 μL	120 μL	4°C/-20°C
	Biotinylated Antibody Diluent	6 mL	12 mL	4°C/-20°C
HRP 100×	Streptavidin-HRP (100×)	60 μL	120 μL	4°C/-20°C
	HRP Diluent	6 mL	12 mL	4°C/-20°C
25×	Wash Buffer (25×)	10 mL	20 mL	4°C/-20°C
TMB	TMB Substrate Solution	6 mL	10 mL	4°C/-20°C(
	Stop Reagent	3 mL	6 mL	4°C/-20°C
	Plate Covers	1	2	
	Instruction Manual	1	1	



- 1.
2. * 4°C 1 1
 HRP -20°C 4°C 6
 * 4°C 6 -20°C 1

3. -20°C 4°C

- 4.
- 5.
- 6.
1. 450 nm
- 2.
- 3.
- 4.
5. EP 0.5-10 μL 2-20 μL 20-200 μL 200-1000 μL
- 6.

- 1.
- 2.
3. TMB



		IL6	96	
IL6		IL6	IL6	
IL6		IL6		HRP
	TMB	TMB		
		IL6		450 nm
(OD)				




1. 2 4°C 1000×g 20
-20°C -80°C
2. 30 2-8°C 1000×g 15
EDTA-Na₂ -20°C -80°C
3. PBS 0.01M pH7.0-7.2
PBS 1:9
PBS 1%
2
5000×g 5-10
BC016 BCA
4. 1000×g 20
-20°C -80°C
5. 24 2000×g 15
-20°C
6. 2-8°C, 1000×g 15
-20°C
7. 1000×g 20
- 1.
2. 1 4°C
-20°C 1 -80°C 3-6



1.	50		5 μ L	245 μ L	&	50
2.	100		5 μ L	495 μ L	&	100
3.	1000		5 μ L	95 μ L	&	20
	20	245 μ L	&		50	1000
4.	100000		5 μ L	195 μ L	&	40
	5 μ L 40	245 μ L	&		50	5 μ L 2000
	245 μ L	&		50		100000
		3 μ L		100		
			PBS		&	


1. / (Original solution-1:2)
- 2.





- 30
- 25× 1× 4°C
- & 1.0 mL 10
40 pg/mL 40 pg/mL 20 pg/mL 10
pg/mL 5 pg/mL 2.5 pg/mL 1.25 pg/mL 0.63 pg/mL 0 pg/mL

15



- 100-200 μL 15 100 μL/ 1:100
1 μL 99 μL

- 100 μL/ 100-200
μL 15 HRP 1:100
1 μL 99 μL

- TMB —



- 1.
2.
1000×g 1 4-5

- 3.
4. 40°C 10

- 5.
6. TMB TMB

- 7.
- 8.
- 9.
- 10.

- 1.
- 2.
- 3.



- 1.
2. 100 μ L
- 37°C 80
3. 3 200 μ L 1-2
4. 100 μ L 15 37°C 50
5. 3 200 μ L 1-2
6. 100 μ L 15 37°C 50
7. 5 200 μ L 1-2
8. TMB 90 μ L 37°C 20
- 30
9. 50 μ L
10. 450 nm OD



1. OD OD
 2. OD OD
- X Y

OD

OD

curve expert

C	D	C	D
40	2.368	2.281	
20	1.628	1.541	
10	1.226	1.139	
5	0.897	0.81	
2.5	0.525	0.438	
1.25	0.256	0.169	
0.63			



●

() : CV% < 8%

1 20

() : CV% < 10%

3 40

●

IL6

(n=5)	80-94%	87%
EDTA (n=5)	78-85%	82%
heparin (n=5)	85-92%	89%

●

IL6

2

4

8

16

	1:2	1:4	1:8	1:16
(n=5)	94-105%	83-95%	80-88%	95-103%
EDTA (n=5)	94-102%	88-99%	91-103%	91-103%
heparin (n=5)	85-95%	82-94%	86-96%	96-108%



E I A

/

, ;		,
		,
		,
		,
	Avidin-HRP	,
		,
		TMB 450nm , 650nm

, ;		
	,	(NaN ₃),
		,



		30min
		15-30min
		PH
		(
	NaN_3	NaN_3
		TMB 450nm 650nm



/

		,
		,
		10
		,
		,
		,
		,
		,
		,
	,	,
		,
		,
		3 , 2 (2)



		3 , ,
		, , , ,
		, , , ,
	, ,	, , ,3000 rpm
	6min	
	, ,	, ,



1. , ,
 . , 0 7