



serum, plasma, cell lysates, cell culture supernates and other biological fluids

· pg/mL

· - pg/mL

		T	T	
	Pre-coated Microplate			C/- C
	Standard (lyophilized)			C/- C
	Standard/Sample Diluent Buffer	mL	mL	C/- C
	Biotinylated-Conjugate ()	μL	μL	C/- C
	Biotinylated Conjugate Diluent	mL	mL	C/- C
	Streptavidin-HRP ()	μL	μL	C/- C
	HRP Diluent	mL	mL	C/- C
	Wash Buffer ()	mL	mL	C/- C
	TMB Substrate Solution	mL	mL	C/- C(
	Stop reagent	mL	mL	C/- C
	Plate Covers			
	Instruction manual			





NPFF

NPFF

-HRP

TMB TMB

NPFF nm (OD)




•	C	g	-	-
•	- C	g	-	-
•	EDTA-Na		-	-
•	P			



.

.




μL C μL min μL

μL HRP C μL

μL TMB C μL

μL nm





•

•

g

-

•

C

•

•

•

TMB

TMB

•

•

•

•





OD

OD

OD


X Y

OD

OD

curve expert

	.
	.
	.
.	.
.	.
.	.
.	.
.	.
.	.





●

CV

CV

●

(n)	-	
EDTA (n)	-	
heparin (n)	-	

●

	:	:	:	:
(n)	-	-	-	-
EDTA (n)	-	-	-	-
heparin (n)	-	-	-	-







		200 μL/





-
-
-
-
-
-
-
-
-

ELK Biotechnology

027-59760950

elkbio@elkbiotech.cn

