



Scleraxis

B(SCXB)

SCXB



ELK Biotechnology



()



C C



1. 50 5 245 & 50
2. 100 5 495 & 100
3. 1000 5 95 & 20 5
20 245 & 50 1000
4. 100000 5 195 & 40
5 40 245 & 50 5 2000
245 & 50 100000
5. 3 100
6. PBS &




) , (

. 200

500 "

DOC





1.

2.


3.



ELK Biotechnology









●

():

1

():


3

●

SCXB



1. 加入底物液 TMB 2. 加入终止液 2M 硫酸 3. 加入显色剂 0.1% 二氨基萘磺酸 4. 加入显色剂 0.1% 二氨基萘磺酸 5. 加入显色剂 0.1% 二氨基萘磺酸 6. 加入显色剂 0.1% 二氨基萘磺酸 7. 加入显色剂 0.1% 二氨基萘磺酸 8. 加入显色剂 0.1% 二氨基萘磺酸		
	Avidin-HRP	
		TMB 450nm 650nm





		30min
		15-30min
		PH
		(
	NaN ₃	NaN ₃
		TMB 450nm 650nm



/

		,
		,
		10
		,
		,
		,
		,
		200 µL/
		,
		,
	,	,
		,
		,
		3 , 2 (2)



		3 , ,
		, , , ,
		, , , ,
	, ,	, , , ,
	, ,	6min, 3000 rpm
	, ,	, , , ,



027-59760950

elkbio@elkbiotech.cn

